

HT22

Spare parts

Ersatzteile

Pièces détachées

Reserve onderdelen

Repuestos

Reservdelar

HT22 Serial No. > M153885

GPL®

A	61 - 501 36 53-80	65 - 725 53 39-55
1 - 501 36 44-00	62 - 501 36 44-30	67 - 501 36 44-70
2 - 503 23 50-11	63 - 501 36 48-16	69 - 501 36 44-71
3 - 501 36 44-01	65 - 501 36 72-06	71 - 735 11 53-01
4 - 725 53 31-55	66 - 501 36 44-32	72 - 731 23 16-55
5 - 735 11 46-01	85 - 501 36 49-15	73 - 501 36 44-72
6 - 734 11 46-01	C	75 - 501 36 23-78
7 - 501 36 44-02	0 - 501 36 44-33	76 - 501 36 23-79
8 - 501 36 20-14	1 - 501 36 54-27	
9 - 501 36 44-03	5 - 501 36 24-22	
10 - 501 36 44-04	7 - 501 36 37-54	
11 - 501 36 31-01	8 - 501 36 44-34	
12 - 501 36 44-05	10 - 501 36 37-63	
13 - 501 36 18-56	11 - 501 36 44-35	
21 - 501 36 44-06	13 - 501 36 37-65	
22 - 501 36 44-07	14 - 501 36 37-66	
23 - 501 36 20-05	15 - 501 36 37-67	
24 - 501 36 20-04	16 - 501 36 37-68	
25A 501 36 21-76	17 - 501 36 33-61	
25B 501 36 21-77	18 - 501 36 54-30	
25C 501 36 21-78	19 - 504 35 09-06	
25D 501 36 21-31	20 - 504 13 08-08	
26 - 501 36 20-08	21 - 505 31 67-54	
27 - 501 36 44-08	22 - 501 36 37-70	
28 - 501 36 48-06	D	
29 - 735 11 46-01	1 - 501 36 44-36	
30 - 725 53 35-55	2 - 735 31 17-00	
31 - 501 36 44-09	3 - 501 36 10-21	
32 - 734 11 64-01	4 - 501 36 44-38	
33 - 735 11 64-01	5 - 501 36 49-19	
34 - 731 23 18-01	6 - 501 36 44-40	
35 - 501 36 15-03	7 - 501 36 44-41	
36 - 501 36 48-08	8 - 501 36 48-71	
B	9 - 501 36 49-33	
3 - 501 36 48-09	10 - 501 36 44-44	
4 - 501 36 44-12	11 - 501 36 44-45	
5 - 501 36 44-13	12 - 501 36 44-46	
6 - 501 36 44-14	14 - 501 36 49-38	
7 - 503 23 00-11	15 - 501 36 44-48	
8 - 725 53 41-55	16 - 501 36 44-49	
11 - 501 36 48-10	17 - 501 36 02-05	
12 - 501 36 31-15	18 - 501 36 11-93	
13 - 501 36 72-38	19 - 501 36 11-88	
14 - 501 36 72-39	20 - 735 11 36-01	
15 - 501 36 54-16	21 - 501 36 44-50	
16 - 501 36 44-16	22 - 501 36 31-40	
17 - 501 36 20-32	23 - 501 36 44-51	
18 - 501 36 72-40	25 - 501 36 49-42	
19 - 501 36 54-13	26 - 501 36 44-53	
20 - 501 36 48-11	27 - 501 36 13-77	
21 - 501 36 44-17	28 - 501 36 49-43	
22 - 501 36 44-18	29 - 501 36 49-44	
23 - 735 11 36-01	30 - 501 36 44-55	
24 - 725 52 87-55	31 - 501 36 44-56	
25 - 501 36 44-19	32 - 501 36 39-11	
26 - 501 36 44-20	33 - 501 36 44-57	
27 - 501 36 48-12	34 - 501 36 12-96	
30 - 501 36 44-21	35 - 501 36 39-10	
33 - 501 36 51-46	36 - 501 36 53-80	
35 - 501 36 44-22	37 - 501 36 49-45	
36 - 501 36 44-23	47 - 501 36 44-63	
37 - 501 36 44-24	48 - 501 36 44-64	
38 - 501 36 41-14	50 - 501 36 49-46	
39 - 501 36 22-30	51 - 501 36 23-16	
40 - 735 11 46-01	52 - 501 36 23-15	
41 - 725 53 43-55	53 - 501 36 13-21	
43 - 501 36 44-25	54 - 735 11 46-01	
44 - 501 36 44-26	55 - 725 53 35-55	
45 - 501 36 55-11	56 - 501 36 44-66	
47 - 501 36 44-27	57 - 725 53 27-55	
50 - 501 36 48-13	58 - 735 11 46-01	
51 - 501 36 17-69	61 - 501 36 44-68	
52 - 501 36 44-28	62 - 501 36 44-69	
53 - 501 36 48-14	63 - 503 23 00-11	
55 - 501 36 30-12		

Exploded view diagram of a 2-stroke engine assembly. The diagram shows the following components and their assembly sequence:


- 1**: Main engine block/cylinder assembly.
- 2**: Piston pin.
- 3**: Piston and rings.
- 4**: Piston pin clip.
- 5**: Piston pin clip.
- 6**: Piston pin clip.
- 7**: Piston pin clip.
- 8**: Piston pin clip.
- 9**: Piston pin clip.
- 10**: Piston pin clip.
- 11**: Piston pin clip.
- 12**: Piston pin clip.
- 13**: Piston pin clip.
- 14**: Piston pin clip.
- 15**: Piston pin clip.
- 16**: Piston pin clip.
- 17**: Piston pin clip.
- 18**: Piston pin clip.
- 19**: Piston pin clip.
- 20**: Piston pin clip.
- 21**: Piston pin clip.
- 22**: Piston pin clip.
- 23**: Piston pin clip.
- 24**: Piston pin clip.
- 25**: Piston pin clip.
- 26**: Piston pin clip.
- 27**: Piston pin clip.
- 28**: Piston pin clip.
- 29**: Piston pin clip.
- 30**: Piston pin clip.
- 31**: Piston pin clip.
- 32**: Piston pin clip.
- 33**: Piston pin clip.
- 34**: Piston pin clip.
- 35**: Piston pin clip.
- 36**: Piston pin clip.

Technical specifications for the piston pin clip (25):


25 A	= 0.10 mm
B	= 0.15 mm
C	= 0.20 mm
D	= 0.30 mm

B

F06



C



D

