

# CRT 51

**Spare parts**

**Ersatzteile**

**Pièces détachées**

**Reserve onderdelen**


**Repuestos**

**Reservdelar**

**GPL®**

# REPAIR PARTS

TILLER - - MODEL NUMBER CRT51 (96091000203), PRODUCT NO. 960 91 00-02  
HANDLE ASSEMBLY




| KEY NO. | PART NO.     | DESCRIPTION                       |
|---------|--------------|-----------------------------------|
| 1       | 532 18 94-82 | Control, Throttle                 |
| 2       | 532 16 57-87 | Grip, Handle                      |
| 4       | 532 15 92-28 | Bar Assembly, Control             |
| 6       | 532 18 06-76 | Panel, Control                    |
| 8       | 871 19 10-08 | Screw, Truss Hd. #10-24 unc x 1/2 |
| 10      | 532 00 82-06 | Grip, Handle                      |
| 11      | 532 12 47-88 | Clip, Hairpin                     |
| 12      | 532 08 13-28 | Bolt, Shoulder                    |
| 13      | 532 18 74-97 | Handle, Shift                     |
| 14      | 532 10 93-13 | Grommet, Rubber                   |
| 15      | 532 10 93-37 | Rod, Shift                        |
| 16      | 872 11 06-08 | Bolt, Carriage 3/8-16 x 1 Gr. 5   |
| 17      | 532 10 92-29 | Lock, Handle                      |
| 18      | 873 68 06-00 | Nut, Crownlock 3/8-16 unc         |
| 19      | 819 13 16-11 | Washer 13/32 x 1 x 11 Ga.         |

| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 20      | 532 10 92-28 | Lever, Lock, Handle                |
| 21      | 532 18 11-27 | Handle                             |
| 23      | 532 08 67-77 | Screw, Hex Washer SLT #10-24 x .50 |
| 24      | 532 00 94-84 | Clip                               |
| 26      | 532 15 92-31 | Cable, Clutch                      |
| 27      | 873 90 04-00 | Nut, Hex Flange 1/4-20 unc         |
| 29      | 873 73 10-00 | Nut, Keps #10-24 unc               |
| 30      | 532 10 41-64 | Tie, Cable                         |
| 31      | 532 15 06-96 | Bolt, Pivot                        |
| 33      | 872 14 04-04 | Bolt, Carriage 1/4-20 unc x 1/2    |
| 37      | 532 10 26-04 | Grip, Bar, Control                 |
| 41      | 532 10 27-44 | Clamp, Bar, Control                |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# REPAIR PARTS

**TILLER - - MODEL NUMBER CRT51 (96091000203), PRODUCT NO. 960 91 00-02**  
**MAINFRAME, LEFT SIDE**




| KEY NO. | PART NO.     | DESCRIPTION                                   |
|---------|--------------|-----------------------------------------------|
| 1       | 873 51 05-00 | Nut, Keps 5/16-18                             |
| 2       | 810 04 06-00 | Washer, Lock 3/8                              |
| 3       | 873 22 06-00 | Nut, Hex 3/8-16                               |
| 4       | 532 17 01-27 | Shield, Inner Belt Guard RT                   |
| 5       | 532 16 43-29 | Pin, Shift Lever                              |
| 6       | 532 11 01-11 | Lever, Shift                                  |
| 7       | 872 11 04-04 | Bolt, Carriage 1/4-20 x 1/2 Gr. 5             |
| 8       | 532 00 87-00 | Plate, Shift Indicator                        |
| 9       | 532 08 67-77 | Screw, Hex, Washer Head, Slotted #10-24 x 1/2 |
| 10      | 532 00 94-84 | Clip                                          |
| 12      | 873 51 04-00 | Nut, Keps Hex 1/4-20 unc                      |
| 13      | 823 23 05-06 | Screw, Set, Hex 5/16-18 x 3/8                 |
| 14      | 532 15 61-17 | Spacer, Split 0.327 x 0.42 x 1.220            |
| 15      | 819 11 11-16 | Washer 11/32 x 11/16 x 16 Ga.                 |
| 16      | 532 14 51-02 | Sheave, Transmission                          |
| 19      | 812 00 00-28 | Ring, Retainer                                |
| 21      | 532 11 06-52 | Spacer, Split 0.327 x 0.42 x 2.09             |
| 22      | 874 77 05-08 | Bolt, Fin Hex 5/16-24 x 1/2                   |
| 23      | 532 00 50-15 | Tire                                          |
|         | 532 12 43-66 | Rim                                           |
|         | 532 12 47-18 | Tire Valve                                    |
| 24      | 532 12 68-75 | Rivet, Drilled                                |

| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 25      | 532 12 47-88 | Clip, Hairpin                      |
| 26      | 532 16 67-92 | Guard, Belt                        |
| 27      | 532 13 28-01 | Belt, V                            |
| 28      | 532 10 46-79 | Pulley, Idler                      |
| 29      | 812 00 00-32 | Ring, Klip                         |
| 30      | 532 15 92-29 | Bracket, Idler                     |
| 31      | 532 10 23-84 | Bolt, Hex 5/16-16 x 12             |
| 32      | 532 10 21-41 | Shaft, Idler Arm                   |
| 33      | 874 76 06-16 | Bolt, Hex 3/8-16 x 1               |
| 34      | 532 10 23-83 | Counterweight, L. H.               |
| 35      | 874 76 05-28 | Bolt, Hex 5/16-18 x 1-3/4          |
| 36      | 532 10 23-31 | Bracket, Reinforcement, L. H.      |
| 37      | 532 13 08-12 | Sheave, Engine                     |
| 38      | 874 76 05-44 | Bolt, Fin Hex 5/16-18 x 2-3/4      |
| 39      | 532 14 00-62 | Cap Plunger                        |
| 40      | 532 17 04-88 | Screw Hex Washer Hd #8-18 x 1/2    |
| 44      | 873 80 05-00 | Nut, Lock Hex w/Insert 5/16-18 unc |
| 65      | 873 97 05-00 | Nut, Lock Hex Flange               |
| 66      | 819 13 13-12 | Washer 13/32 x 13/16 x 12 Ga.      |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# REPAIR PARTS

TILLER - - MODEL NUMBER CRT51 (96091000203), PRODUCT NO. 960 91 00-02  
MAINFRAME, RIGHT SIDE



mainframe\_right\_21


| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 18 51-90 | Bumper                        |
| 2       | 873 97 05-00 | Nut, Lock Hex Flange          |
| 3       | 819 11 11-16 | Washer 11/32 x 11/16 x 16 Ga. |
| 4       | 874 76 05-12 | Bolt Hex Hd 5/16-18 x 3/4     |
| 5       | 532 10 23-32 | Bracket, Reinforcement        |
| 7       | 532 10 21-73 | Counter Weight, R.H.          |
| 8       | 810 04 06-00 | Washer, Lock 3/8              |
| 9       | 873 22 06-00 | Nut, Hex 3/8-16               |
| 10      | 874 76 05-24 | Bolt, Hex 5/16-18 x 1-1/2     |
| 11      | 532 12 47-88 | Clip, Hairpin                 |
| 12      | 532 12 68-75 | Rivet, Drilled                |

| KEY NO. | PART NO.     | DESCRIPTION                                                               |
|---------|--------------|---------------------------------------------------------------------------|
| 13      | 532 00 50-15 | Tire                                                                      |
|         | 532 12 43-66 | Rim                                                                       |
|         | 532 12 47-18 | Tire Valve                                                                |
| 15      | -----        | Engine, Briggs Model No. 126302<br>(Order parts from Engine Manufacturer) |
| 22      | 874 76 05-28 | Bolt 5/16-18 x 1-3/4                                                      |

**NOTE:** All component dimensions given in U.S.inches.  
1 inch = 25.4 mm

# REPAIR PARTS

**TILLER - - MODEL NUMBER CRT51 (96091000203), PRODUCT NO. 960 91 00-02**  
**TRANSMISSION**



transmission\_19.5b


| KEY NO. | PART NO.     | DESCRIPTION                                                 |
|---------|--------------|-------------------------------------------------------------|
| 1       | 532 18 85-54 | Transmission Assembly (Includes Key Nos. 2-53)              |
| 2       | 532 18 84-82 | Gearcase, L.H. w/Bearing (Includes Key No. 4)               |
| 3       | 532 16 19-63 | Gasket, Gearcase                                            |
| 4       | 532 00 50-20 | Bearing, Needle                                             |
| 5       | 532 00 13-70 | Washer, Thrust 5/8 x 1.10 x 1/32                            |
| 6       | 532 13 73-35 | Pinion, Input                                               |
| 7       | 532 14 51-01 | Shaft, Input                                                |
| 8       | 532 12 47-92 | Bearing, Needle                                             |
| 9       | 532 15 44-67 | Washer, Seal                                                |
| 10      | 532 12 46-97 | Ball, Steel                                                 |
| 11      | 532 10 03-71 | Spring, Shift, Fork                                         |
| 12      | 532 10 61-60 | O-Ring                                                      |
| 13      | 532 14 21-45 | Bracket, Asm. Shift CRT                                     |
| 14      | 532 00 83-53 | Fork, Shift                                                 |
| 15      | 812 00 00-39 | Ring, Klip                                                  |
| 16      | 532 15 44-66 | Shaft, Shift                                                |
| 18      | 532 00 43-58 | Washer                                                      |
| 19      | 812 00 00-40 | Ring, Klip                                                  |
| 20      | 532 10 21-14 | Gear, Assembly, Reverse Idler (Includes Key Nos. 21 and 22) |
| 21      | 532 10 21-15 | Gear, Reverse Idler                                         |
| 22      | 532 00 68-03 | Bearing, Needle                                             |
| 23      | 532 10 21-11 | Shaft, Reverse Idler                                        |
| 24      | 810 04 07-00 | Washer, Lock 7/16                                           |
| 25      | 873 61 07-00 | Nut, Hex 7/16-20                                            |
| 27      | 532 14 30-09 | Bearing, Shaft, Ground Drive L.H.                           |
| 28      | 532 10 63-90 | Spacer 0.765 x 1.125 x 1.23                                 |

| KEY NO. | PART NO.     | DESCRIPTION                                               |
|---------|--------------|-----------------------------------------------------------|
| 29      | 532 10 21-34 | Chain #35-50 Pitch                                        |
| 30      | 532 15 07-37 | Ground Shaft Assembly                                     |
| 31      | 532 14 30-08 | Bearing, Shaft, Ground Drive R.H.                         |
| 32      | 532 10 63-88 | Spacer 0.70 x 1.00 x 1.150                                |
| 33      | 532 10 21-21 | Sprocket and Gear Assembly                                |
| 34      | 532 10 21-12 | Shaft, Reduction (2nd)                                    |
| 35      | 532 10 21-01 | Screw, Whiz, Lock 5/16-18 x 3-1/2                         |
| 36      | 532 15 43-55 | Sprocket Assembly w/Bearing (Includes Key Nos. 37 and 38) |
| 37      | 532 12 47-91 | Bearing, Needle                                           |
| 38      | 532 15 43-56 | Sprocket, Tine                                            |
| 39      | 532 10 53-45 | Gear, Cluster, Red 1st & 2nd                              |
| 40      | 532 10 53-46 | Gear, Reverse                                             |
| 41      | 532 00 83-58 | Shaft, Reduction (1st)                                    |
| 42      | 532 00 42-20 | Washer, Thrust                                            |
| 43      | 532 10 61-46 | Spacer 1.01 x 1.75 x 0.760                                |
| 44      | 532 15 52-36 | Seal, Asm Oil                                             |
| 48      | 532 18 84-85 | Gearcase, R.H. w/Bearing (Includes Key No. 8)             |
| 49      | 532 13 26-88 | Shaft, Tine                                               |
| 50      | 532 10 61-47 | Chain, Roller #50-50 Pitch                                |
| 51      | 817 72 04-08 | Screw, Thd Cut 1/4-20 x 1/2                               |
| 52      | 873 22 05-00 | Nut, Hex 5/16-18                                          |
| 53      | 532 16 51-40 | Kit Bearing                                               |
| 58      | 532 17 95-20 | Screw, Thd Cut 1/4-20 x 3/4                               |
| 60      | 532 18 32-26 | Fitting, Grease                                           |
| --      | 532 00 60-66 | Grease, Plastilube #1                                     |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# REPAIR PARTS

**TILLER - - MODEL NUMBER CRT51 (96091000203), PRODUCT NO. 960 91 00-02**  
**TINE SHIELD**



tine\_shield\_17\_in


| KEY NO. | PART NO.     | DESCRIPTION                        |
|---------|--------------|------------------------------------|
| 1       | 873 90 05-00 | Nut, Lock Hex Flange 5/16-18       |
| 2       | 532 16 29-52 | Shield, Side, Outer L. H.          |
| 3       | 532 00 83-93 | Pin, Stake, Depth                  |
| 4       | 812 00 00-35 | Ring, Klip                         |
| 5       | 532 18 08-47 | Bolt Rdhd Sqnk 5/16-18 x 3/4 ZNC   |
| 6       | 532 00 83-94 | Spring                             |
| 7       | 532 00 83-92 | Bracket, Latch                     |
| 8       | 532 10 92-30 | Spring, Depth Stake                |
| 9       | 532 14 22-92 | Shield, Tine                       |
| 11      | 873 22 05-00 | Nut, Hex 5/16-18                   |
| 12      | 810 04 05-00 | Washer, Lock 5/16                  |
| 13      | 872 11 05-10 | Bolt, Carriage 5/16-18 x 1-1/4     |
| 14      | 532 12 43-11 | Bracket, Shield Tine               |
| 15      | 532 16 29-53 | Shield, Side, Outer R.H.           |
| 16      | 873 90 04-00 | Nut, Flange Hex 1/4-20 unc         |
| 18      | 872 04 04-10 | Bolt, Carriage 1/4-20 x 1-1/4 r. 5 |
| 19      | 532 10 27-01 | Grip                               |
| 20      | 873 22 06-00 | Nut, Hex 3/8-16                    |

| KEY NO. | PART NO.     | DESCRIPTION                     |
|---------|--------------|---------------------------------|
| 21      | 532 10 21-56 | Stake, Depth                    |
| 22      | 874 93 06-32 | Bolt, Hex 3/8-16 x 2            |
| 23      | 532 00 44-40 | Hinge                           |
| 24      | 872 14 04-04 | Bolt, Carriage 1/4-20 x 1/2 Gr. |
| 25      | 532 12 47-17 | Cap, Vinyl                      |
| 26      | 532 10 92-27 | Pad, Idler                      |
| 27      | 532 12 50-16 | Shield, Leveling                |
| 28      | 532 12 05-88 | Pin, Hinge                      |
| 29      | 532 40 39-60 | Shield, Side                    |
| 30      | 873 97 05-00 | Nut, Lock Hx Flange             |
| 32      | 873 22 04-00 | Nut, Fin, Hex 1/4-20 unc        |
| 33      | 810 04 04-00 | Washer, Lock Hvy Helical 1/4    |
| 35      | 872 11 05-05 | Bolt 5/16-18 x 5/8              |
| 37      | 873 80 05-00 | Nut 5/16-18                     |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# REPAIR PARTS

TILLER - - MODEL NUMBER CRT51 (96091000203), PRODUCT NO. 960 91 00-02  
TINE ASSEMBLY



| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 00 44-59 | Tine, Outer, L.H.             |
| 2       | 532 13 26-73 | Clevis Pin                    |
| 3       | 532 00 65-54 | Tine, Inner, L.H.             |
| 4       | 532 12 46-60 | Retainer, Spring Zinc         |
| 5       | 532 13 27-27 | Assembly, Hub and Plate, L.H. |
| 8       | 874 61 06-16 | Bolt, Hex 3/8-24 x 1          |


| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 9       | 532 00 44-60 | Tine, Outer, R.H.             |
| 10      | 532 13 27-28 | Assembly, Hub and Plate, R.H. |
| 11      | 532 00 65-55 | Tine, Inner, R.H.             |
| 34      | 873 54 06-00 | Nut Crownlock 3/8-24          |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm



# REPAIR PARTS

TILLER - - MODEL NUMBER CRT51 (96091000203), PRODUCT NO. 960 91 00-02  
DECALS



| KEY NO. | PART NO.     | DESCRIPTION                 |
|---------|--------------|-----------------------------|
| 1       | 532 18 90-18 | Decal, Logo                 |
| 3       | 532 18 90-19 | Decal, Logo                 |
| 4       | 532 18 08-27 | Decal, Instruction, Tilling |
| 5       | 532 15 98-77 | Decal, Hand Placement       |
| 6       | 532 10 21-80 | Decal, Shift Indicator      |
| 7       | 532 19 46-89 | Decal, Briggs & Stratton    |
| 8       | 532 17 10-77 | Decal, B&S Intek N-I/C      |
| 9       | 532 17 65-57 | Decal, Warning, 4-Sym       |
| 10      | 532 14 54-37 | Decal, Europe Stand CE      |
| 11      | 532 17 10-78 | Decal, Rewind Intek         |
| --      | 532 19 42-52 | Manual, Operator's (Euro.)  |
| --      | 532 19 42-53 | Manual, Operator's (Scan.)  |