

# **ILLUSTRATED PARTS LIST**


**MFG. ID NO. 96091000112**

**MODEL NUMBER CT2105 R**

**PRODUCT NUMBER 960 91 00-01**



# **JONSERED TILLER - MODEL NUMBER CT2105 R (MFG. ID. NO. 96091000112)** **HANDLE ASSEMBLY**




handle\_assy\_107

| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 1       | 532 18 94-82 | Control, Throttle                   |
| 2       | 532 42 76-43 | Grip, Handle                        |
| 6       | 532 44 60-75 | Panel, Control                      |
| 10      | 532 12 47-97 | Grip, Handle                        |
| 11      | 532 12 47-88 | Clip, Hairpin                       |
| 12      | 532 08 13-28 | Bolt, Shoulder                      |
| 13      | 581 85 12-01 | Handle, Shift                       |
| 14      | 532 10 93-13 | Grommet, Rubber                     |
| 15      | 532 13 84-00 | Rod, Shift                          |
| 16      | 872 11 06-08 | Bolt, Carriage, Grade 5, 3/8-16 x 1 |
| 17      | 532 10 92-29 | Lock, Handle                        |
| 18      | 873 68 06-00 | Nut, Crownlock, 3/8-16 UNC          |
| 19      | 819 13 16-11 | Washer, 13/32 x 1 x 11 Gauge        |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 20      | 532 10 92-28 | Lever, Lock, Handle           |
| 21      | 581 96 94-01 | Handle                        |
| 27      | 873 90 04-00 | Nut, Hex, Flanged, 1/4-20 UNC |
| 31      | 532 15 06-96 | Bolt, Pivot                   |
| 42      | 532 41 63-58 | Screw, #10 x 3/4              |
| 43      | 532 43 87-95 | Cable, Handle, Tine Control   |
| 44      | 532 43 87-82 | Control, Handle, Two Function |
| 45      | 532 42 17-56 | Screw, #10 x 1/2              |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

**JONSERED TILLER - MODEL NUMBER CT2105 R (MFG. ID. NO. 96091000112)**  
**MAINFRAME, LEFT SIDE**




| KEY NO. | PART NO.     | DESCRIPTION                                   |
|---------|--------------|-----------------------------------------------|
| 3       | 873 93 06-00 | Nut, Centerlock, 3/8-16 UNC                   |
| 4       | 583 87 77-01 | Shield, Guard, Belt                           |
| 5       | 532 16 43-29 | Pin                                           |
| 6       | 532 11 01-11 | Lever, Shift                                  |
| 7       | 872 11 04-04 | Bolt, Carriage, Grade 5, 1/4-20 x 1/2         |
| 8       | 581 84 50-01 | Plate, Shift Indicator                        |
| 9       | 532 08 67-77 | Screw, Hex Washer Head, Slotted, #10-24 x 1/2 |
| 10      | 532 44 60-45 | Clip                                          |
| 12      | 873 51 04-00 | Nut, Hex, Keps, 1/4-20 UNC                    |
| 13      | 823 23 05-06 | Screw, Set, Hex, 5/16-18 x 3/8                |
| 14      | 532 15 61-17 | Spacer, Split, 0.327 x 0.42 x 1.220           |
| 15      | 819 11 11-16 | Washer, 11/32 x 11/16 x 16 Gauge              |
| 16      | 532 14 51-02 | Sheave, Transmission                          |
| 19      | 812 00 00-28 | Ring, Retainer                                |
| 21      | 532 13 16-91 | Spacer, Split, 0.327 x 0.42 x 2.09            |
| 22      | 874 77 05-08 | Bolt, Hex Head, 5/16-24 x 1/2                 |
| 23      | 581 57 64-02 | Wheel & Tire Assembly                         |
| 24      | 532 17 12-71 | Rivet, Drilled                                |
| 25      | 532 12 47-88 | Clip, Hairpin                                 |
| 26      | 532 44 28-54 | Guard, Belt                                   |
| 27      | 532 13 28-01 | Belt, V                                       |
| 28      | 532 10 46-79 | Pulley, Idler                                 |
| 29      | 812 00 00-32 | Ring, Klip                                    |

| KEY NO. | PART NO.     | DESCRIPTION                                   |
|---------|--------------|-----------------------------------------------|
| 30      | 584 28 92-01 | Bracket, Idler                                |
| 31      | 581 74 72-01 | Bolt, Hex Head, 5/16-16 x 12                  |
| 32      | 532 10 21-41 | Shaft, Idler Arm                              |
| 33      | 874 76 06-16 | Bolt, Hex Head, 3/8-16 x 1                    |
| 34      | 581 01 06-01 | Counterweight, L.H.                           |
| 36      | 581 86 48-01 | Bracket, Reinforcement, L.H.                  |
| 37      | 532 13 08-12 | Sheave, Engine                                |
| 38      | 874 76 05-44 | Bolt, Hex Head, 5/16-18 x 2-3/4               |
| 39      | 532 14 00-62 | Cap, Plunger                                  |
| 40      | 532 17 04-88 | Screw, Hex Washer Head, Slotted, #10-24 x .50 |
| 44      | 873 80 05-00 | Locknut, Hex, 5/16-18 UNC                     |
| 65      | 873 97 05-00 | Locknut, Hex, Flanged                         |
| 66      | 819 13 13-16 | Washer, Flat                                  |
| 67      | 874 76 05-28 | Bolt, Hex Head, 5/16-18 UNC x 1-3/4           |
| 68      | 873 51 06-00 | Nut, Hex, Keps, 3/8-16 UNC                    |
| 69      | 532 16 41-73 | Keeper, Belt, Engine                          |
| 70      | 819 13 20-12 | Washer, Flat                                  |
| 71      | 873 68 06-00 | Nut, Hex                                      |
| 72      | 532 00 59-28 | Spacer                                        |
| 73      | 819 13 13-12 | Washer, 13/32 x 13/16 x 12 Gauge              |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

**JONSERED TILLER - MODEL NUMBER CT2105 R (MFG. ID. NO. 96091000112)**  
**MAINFRAME, RIGHT SIDE**



mainframe\_right\_26\_r3


| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 1       | 583 87 93-01 | Bumper                           |
| 2       | 873 97 05-00 | Locknut, Hex Flanged             |
| 3       | 819 11 11-16 | Washer, 11/32 x 11/16 x 16 Gauge |
| 4       | 874 76 05-12 | Bolt, Hex Head, 5/16-18 x 3/4    |
| 5       | 581 86 47-01 | Bracket, Reinforcement           |
| 6       | 874 76 05-28 | Bolt, Hex Head, 5/16-18 x 1-3/4  |
| 7       | 581 01 04-01 | Counterweight, R.H.              |
| 10      | 874 76 05-24 | Bolt, Hex Head, 5/16-18 x 1-1/2  |
| 11      | 532 12 47-88 | Clip, Hairpin                    |

| KEY NO. | PART NO.     | DESCRIPTION                                                                   |
|---------|--------------|-------------------------------------------------------------------------------|
| 12      | 532 17 12-71 | Rivet, Drilled                                                                |
| 13      | 581 57 64-01 | Wheel & Tire Assembly                                                         |
| 15      | ---          | Engine, Briggs & Stratton, Model Number 121002-3423-H8 (Order parts from B&S) |
| 44      | 873 51 06-00 | Nut, Hex, Keps, 3/8-16 UNC                                                    |

**NOTE:** All component dimensions given in U.S.inches.  
1 inch = 25.4 mm

# JONSERED TILLER - MODEL NUMBER CT2105 R (MFG. ID. NO. 96091000112)

## TRANSMISSION




transmission\_22

| KEY NO. | PART NO.     | DESCRIPTION                                                       |
|---------|--------------|-------------------------------------------------------------------|
| 1       | 532 18 85-54 | Transmission Assembly<br>(Includes Key Numbers 2-53)              |
| 2       | 532 18 84-82 | Gearcase, L.H., with Bearing<br>(Includes Key Number 4)           |
| 3       | 532 43 10-22 | Gasket, Gearcase                                                  |
| 4       | 532 00 50-20 | Bearing, Needle                                                   |
| 5       | 532 00 13-70 | Washer, Thrust, 5/8 x 1.10 x 1/32                                 |
| 6       | 532 13 73-35 | Pinion, Input                                                     |
| 7       | 532 14 51-01 | Shaft, Input                                                      |
| 8       | 532 12 47-92 | Bearing, Needle                                                   |
| 9       | 532 15 44-67 | Washer, Seal                                                      |
| 10      | 532 12 46-97 | Ball, Steel                                                       |
| 11      | 532 10 03-71 | Spring, Shift, Fork                                               |
| 12      | 532 10 61-60 | O-Ring                                                            |
| 13      | 532 14 21-45 | Bracket, Assembly, Shift, CRT                                     |
| 14      | 532 00 83-53 | Fork, Shift                                                       |
| 15      | 812 00 00-39 | Ring, Klip                                                        |
| 16      | 532 15 44-66 | Shaft, Shift                                                      |
| 18      | 532 00 43-58 | Washer                                                            |
| 19      | 812 00 00-40 | Ring, Klip                                                        |
| 20      | 532 10 21-14 | Gear, Assembly, Reverse Idler<br>(Includes Key Numbers 21 and 22) |
| 21      | 532 10 21-15 | Gear, Reverse Idler                                               |
| 22      | 532 00 68-03 | Bearing, Needle                                                   |
| 23      | 532 10 21-11 | Shaft, Reverse Idler                                              |
| 24      | 810 04 07-00 | Washer, Lock, 7/16                                                |
| 25      | 873 61 07-00 | Nut, Hex, 7/16-20                                                 |
| 27      | 532 43 12-19 | Bearing, Shaft, Ground Drive L.H.                                 |
| 29      | 532 10 21-34 | Chain, #35-50 Pitch                                               |

| KEY NO. | PART NO.     | DESCRIPTION                                                        |
|---------|--------------|--------------------------------------------------------------------|
| 30      | 532 15 07-37 | Ground Shaft Assembly                                              |
| 31      | 532 14 30-08 | Bearing, Shaft, Ground Drive, R.H.                                 |
| 32      | 532 10 63-88 | Spacer, 0.7 x 1 x 1.15                                             |
| 33      | 532 10 21-21 | Sprocket and Gear Assembly                                         |
| 34      | 532 10 21-12 | Shaft, Reduction (2nd)                                             |
| 35      | 532 10 21-01 | Screw, Whizlock, 5/16-18 x 3-1/2                                   |
| 36      | 532 15 43-55 | Sprocket Assembly with Bearing<br>(Includes Key Numbers 37 and 38) |
| 37      | 532 12 47-91 | Bearing, Needle                                                    |
| 38      | 532 15 43-56 | Sprocket, Tine                                                     |
| 39      | 532 10 53-45 | Gear, Cluster, Red, 1st & 2nd                                      |
| 40      | 532 10 53-46 | Gear, Reverse                                                      |
| 41      | 532 00 83-58 | Shaft, Reduction (1st)                                             |
| 42      | 532 00 42-20 | Washer, Thrust                                                     |
| 43      | 532 10 61-46 | Spacer, 1.01 x 1-3/4 x 0.76                                        |
| 44      | 532 15 52-36 | Seal Assembly, Oil                                                 |
| 48      | 532 18 84-85 | Gearcase, R.H., with Bearing<br>(Includes Key Number 8)            |
| 49      | 532 43 14-85 | Shaft, Tine                                                        |
| 50      | 532 10 61-47 | Chain, Roller, #50-50 Pitch                                        |
| 51      | 817 72 04-08 | Screw, Thread Cutting, 1/4-20 x 1/2                                |
| 52      | 873 22 05-00 | Nut, Hex, 5/16-18                                                  |
| 53      | 532 16 51-40 | Kit, Bearing                                                       |
| 58      | 532 17 95-20 | Bolt, Shoulder, 1/4-20 x 7/8                                       |
| 60      | 532 18 32-26 | Fitting, Grease                                                    |
| 62      | 532 43 10-15 | Spacer, 1.015 x 1-1/2 x .65                                        |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# **JONSERED TILLER - MODEL NUMBER CT2105 R (MFG. ID. NO. 96091000112)** **TINE SHIELD**




| KEY NO. | PART NO.     | DESCRIPTION                             |
|---------|--------------|-----------------------------------------|
| 1       | 532 15 53-77 | Nut, Hex, Flanged, 5/16-18              |
| 2       | 532 44 28-69 | Shield, Side, Outer, L.H.               |
| 3       | 532 00 83-93 | Pin, Stake, Depth                       |
| 4       | 812 00 00-35 | Ring, Klip                              |
| 5       | 532 18 08-47 | Bolt, Carriage, 5/16-18 x 3/4           |
| 6       | 532 00 83-94 | Spring                                  |
| 7       | 581 85 08-01 | Bracket, Latch                          |
| 8       | 532 10 92-30 | Spring, Depth Stake                     |
| 9       | 532 44 28-58 | Shield, Tine                            |
| 13      | 872 11 05-10 | Bolt, Carriage, 5/16-18 x 1-1/4         |
| 14      | 581 81 35-01 | Bracket, Shield Tine                    |
| 15      | 532 44 28-70 | Shield, Side, Outer, R.H.               |
| 16      | 873 90 04-00 | Nut, Hex, Flanged, 1/4-20               |
| 18      | 872 04 04-10 | Bolt, Carriage, Grade 5, 1/4-20 x 1-1/4 |
| 19      | 532 10 27-01 | Grip                                    |
| 20      | 873 22 06-00 | Nut, Hex, 3/8-16                        |
| 21      | 532 12 50-00 | Stake, Depth                            |
| 22      | 874 93 06-32 | Bolt, Hex Head, 3/8-16 x 2              |

| KEY NO. | PART NO.     | DESCRIPTION                           |
|---------|--------------|---------------------------------------|
| 23      | 532 00 44-40 | Hinge                                 |
| 24      | 872 14 04-04 | Bolt, Carriage, Grade 5, 1/4-20 x 1/2 |
| 25      | 532 12 47-17 | Cap, Vinyl                            |
| 26      | 532 10 92-27 | Pad, Idler                            |
| 27      | 532 44 28-71 | Shield, Leveling                      |
| 28      | 532 12 05-88 | Pin, Hinge                            |
| 29      | 581 81 27-05 | Shield, Side                          |
| 30      | 873 97 05-00 | Locknut, Hex, Flanged                 |
| 32      | 873 22 04-00 | Nut, Hex, 1/4-20 UNC                  |
| 33      | 810 04 04-00 | Washer, Lock, Heavy Helical, 1/4      |
| 35      | 872 11 05-05 | Bolt, Carriage, 5/16-18               |
| 37      | 873 80 05-00 | Locknut, Hex, 5/16 UNC                |
| 38      | 873 51 05-00 | Nut, Hex, Keps, 5/16-18 UNC           |
| 39      | 532 42 88-67 | Bolt, Carriage                        |
| 40      | 532 18 11-56 | Nut, Hex                              |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

**JONSERED TILLER - MODEL NUMBER CT2105 R (MFG. ID. NO. 96091000112)**  
**TINE ASSEMBLY**




| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 1       | 532 00 44-59 | Tine, Outer, L.H.             |
| 2       | 532 13 26-73 | Clevis Pin                    |
| 3       | 532 00 65-54 | Tine, Inner, L.H.             |
| 4       | 532 12 46-60 | Retainer Spring               |
| 5       | 581 85 30-01 | Assembly, Hub and Plate, L.H. |
| 8       | 874 61 06-16 | Bolt, Hex Head, 3/8-24 x 1    |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 9       | 532 00 44-60 | Tine, Outer, R.H.             |
| 10      | 581 81 37-01 | Assembly, Hub and Plate, R.H. |
| 11      | 532 00 65-55 | Tine, Inner, R.H.             |
| 34      | 873 54 06-00 | Nut, Hex, Crownlock, 3/8-24   |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

**JONSERED TILLER - MODEL NUMBER CT2105 R (MFG. ID. NO. 96091000112)**  
**DECALS**



| KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|--------------|----------------------------------|
| 4       | 532 15 98-77 | Decal, Hand Placement            |
| 5       | 532 10 21-80 | Decal, Shift Indicator           |
| 8       | 532 17 65-57 | Decal, Warning, Rotating Tines   |
| 9       | 532 14 54-37 | Decal, Stand, C.E.               |
| --      | 580 44 63-40 | Manual, Operator's, European     |
| --      | 580 44 63-50 | Manual, Operator's, Scandinavian |