

# **ILLUSTRATED PARTS LIST**

**MFG. ID NO. 96093001206**


**MODEL NUMBER DRT900H**

**PRODUCT NUMBER 960 93 00-12**



# HUSQVARNA TILLER - MODEL NUMBER DRT900H (MFG. ID. NO. 96093001206)

## HANDLE ASSEMBLY



handle\_assy\_105


| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 2       | 532 42 76-43 | Grip, Handle                        |
| 6       | 532 44 60-09 | Panel, Control                      |
| 10      | 532 00 82-06 | Grip, Handle                        |
| 11      | 532 12 47-88 | Clip, Hairpin                       |
| 12      | 532 08 13-28 | Bolt, Shoulder                      |
| 13      | 581 85 12-01 | Handle, Shift                       |
| 14      | 532 10 93-13 | Grommet, Rubber                     |
| 15      | 532 13 84-00 | Rod, Shift                          |
| 16      | 872 11 06-08 | Bolt, Carriage, Grade 5, 3/8-16 x 1 |
| 17      | 532 10 92-29 | Lock, Handle                        |
| 18      | 873 68 06-00 | Nut, Crownlock 3/8-16 UNC           |

| KEY NO. | PART NO.     | DESCRIPTION                   |
|---------|--------------|-------------------------------|
| 19      | 819 13 16-11 | Washer 13/32 x 1 x 11 Gauge   |
| 20      | 532 10 92-28 | Lever, Lock, Handle           |
| 21      | 532 44 61-56 | Handle                        |
| 27      | 873 90 04-00 | Nut, Hex, Flanged, 1/4-20 UNC |
| 31      | 532 15 06-96 | Bolt, Pivot                   |
| 42      | 532 41 63-58 | Screw                         |
| 100     | 532 19 31-33 | Lever                         |
| 101     | 532 18 85-55 | Pin, Pivot                    |
| 102     | 812 00 00-59 | Retaining Ring                |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

# HUSQVARNA TILLER - MODEL NUMBER DRT900H (MFG. ID. NO. 96093001206)

## MAINFRAME, LEFT SIDE




| KEY NO. | PART NO.            | DESCRIPTION                                  |
|---------|---------------------|----------------------------------------------|
| 3       | 873 93 06-00        | Nut, Centerlock, 3/8-16 UNC                  |
| 4       | 583 87 77-01        | Shield, Inner, Belt Guard, R.H.              |
| 5       | 532 16 43-29        | Pin, Spiral Flared                           |
| 6       | 532 16 27-56        | Lever, Shift                                 |
| 7       | 872 11 04-04        | Bolt, Carriage, Grade 5 1/4-20 x 1/2         |
| 8       | 583 87 92-01        | Plate, Shift Indicator                       |
| 9       | 532 08 67-77        | Screw, Hex Washer Head, Slotted #10-24 x 1/2 |
| 10      | 532 44 60-45        | Clip                                         |
| 12      | 873 51 04-00        | Nut, Hex, Keps 1/4-20 UNC                    |
| 13      | 823 23 05-06        | Screw, Set, Hex 5/16-18 x 3/8                |
| 14      | 532 15 61-17        | Spacer, Split 0.327 x 0.42 x 2.09            |
| 15      | <b>819 11 22-06</b> | Washer 11/32 x 11/32 x 16 Gauge              |
| 16      | 532 14 51-02        | Sheave, Transmission                         |
| 19      | 812 00 00-28        | Retainer, Ring                               |
| 21      | 532 13 16-91        | Spacer, Split                                |
| 22      | 874 77 05-08        | Bolt, Hex Head, 5/16-24 UNF x 1/2            |
| 23      | 581 50 99-02        | Wheel & Tire Assembly                        |
| 24      | 532 17 12-71        | Rivet, Drilled                               |
| 25      | 532 12 47-88        | Clip, Hairpin                                |
| 26      | 532 44 04-38        | Guard, Belt                                  |
| 27      | 532 13 28-01        | Belt, V                                      |
| 28      | 532 10 46-79        | Pulley, Idler                                |
| 29      | 812 00 00-32        | Ring, Klip                                   |

| KEY NO. | PART NO.            | DESCRIPTION                                  |
|---------|---------------------|----------------------------------------------|
| 30      | 584 28 92-01        | Bracket, Idler                               |
| 31      | <b>581 74 72-01</b> | Bolt, Hex Head, 5/16-16 x 12                 |
| 32      | 532 10 21-41        | Shaft, Idler Arm                             |
| 33      | 874 76 06-16        | Bolt, Hex Head, 3/8-16 x 1                   |
| 34      | <b>581 01 06-01</b> | Counterweight, L.H.                          |
| 36      | 581 86 48-01        | Bracket, Reinforcement, L.H.                 |
| 37      | 532 13 08-12        | Sheave, Engine                               |
| 38      | 874 76 05-44        | Bolt, Hex Head 5/16-18 UNC x 2-3/4           |
| 39      | 532 14 00-62        | Cap, Plunger, Black                          |
| 40      | 532 17 04-88        | Screw, Hex Washer Head, Slotted #10-24 x 1/2 |
| 44      | 873 80 05-00        | Locknut, Hex, with Washer Insert 5/16-18 UNC |
| 65      | 873 97 05-00        | Locknut, Hex, Flanged                        |
| 66      | 819 13 13-16        | Washer, Flat, 3/8 SAE                        |
| 67      | 874 76 05-24        | Bolt, Hex Head, 5/16-18 x 1-1/2              |
| 68      | 873 51 06-00        | Nut, Hex, Keps, 3/8-16 UNC                   |
| 69      | 532 16 41-73        | Keeper, Belt, Engine                         |
| 70      | <b>819 13 20-12</b> | Washer, Flat                                 |
| 71      | <b>873 68 06-00</b> | Nut, Hex                                     |
| 73      | 819 13 13-12        | Washer 13/32 x 13/16 x 12 Gauge              |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm

**HUSQVARNA TILLER - MODEL NUMBER DRT900H (MFG. ID. NO. 96093001206)**  
**MAINFRAME, RIGHT SIDE**




| KEY NO. | PART NO.            | DESCRIPTION                     |
|---------|---------------------|---------------------------------|
| 2       | 873 97 05-00        | Locknut, Hex, Flanged, 5/16-18  |
| 5       | 581 86 47-01        | Bracket, Reinforcement          |
| 7       | <b>581 01 04-01</b> | Counter Weight, R.H.            |
| 10      | 874 76 05-24        | Bolt, Hex Head, 5/16-18 x 1-1/2 |
| 11      | 532 12 47-88        | Clip, Hairpin                   |
| 12      | 532 17 12-71        | Rivet, Drilled                  |
| 13      | 581 50 99-01        | Wheel & Tire Assembly           |

| KEY NO. | PART NO.     | DESCRIPTION                                                                      |
|---------|--------------|----------------------------------------------------------------------------------|
| 15      | ---          | Engine, Honda, Model Number GCL160-LAMHAB (Order parts from engine manufacturer) |
| 44      | 873 51 06-00 | Nut, Hex, Keps, 3/8-16 UNC                                                       |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# HUSQVARNA TILLER - MODEL NUMBER DRT900H (MFG. ID. NO. 96093001206)

## TRANSMISSION




| KEY NO. | PART NO.            | DESCRIPTION                                                      |
|---------|---------------------|------------------------------------------------------------------|
| 1       | <b>585 92 38-01</b> | Transmission Assembly<br>(Includes Key Numbers 2-52)             |
| 2       | 532 18 82-20        | Gearcase, L.H., w/Bearing<br>(Includes Key Number 4)             |
| 3       | 532 43 10-22        | Gasket, Gearcase                                                 |
| 4       | 532 00 50-20        | Bearing, Needle                                                  |
| 5       | 532 00 13-70        | Washer, Thrust, 5/8 x 1.10 x 1/32                                |
| 6       | <b>586 19 62-01</b> | Pinion, Input                                                    |
| 7       | 532 16 15-18        | Shaft, Input                                                     |
| 8       | 532 00 48-95        | Bearing, Needle                                                  |
| 9       | 532 15 44-67        | Washer, Seal                                                     |
| 10      | 532 00 73-92        | Ball, Steel                                                      |
| 11      | 532 10 03-71        | Spring, Shift, Fork                                              |
| 12      | 532 10 61-60        | O-Ring                                                           |
| 13      | 532 14 21-45        | Arm, Shift                                                       |
| 14      | 532 00 83-53        | Fork, Shift                                                      |
| 15      | 812 00 00-39        | Ring, Klip                                                       |
| 16      | 532 16 15-16        | Shaft, Shift                                                     |
| 18      | 532 00 43-58        | Washer                                                           |
| 19      | 812 00 00-40        | Ring, Klip                                                       |
| 20      | 532 10 21-14        | Gear Assembly, Reverse Idler<br>(Includes Key Numbers 21 and 22) |
| 21      | 532 10 21-15        | Gear, Reverse Idler                                              |
| 22      | 532 00 68-03        | Bearing, Needle                                                  |
| 23      | 532 16 15-27        | Shaft, Reverse Idler                                             |
| 24      | 810 04 07-00        | Washer, Lock, 7/16                                               |
| 25      | 873 61 07-00        | Nut, Hex, 7/16-20                                                |
| 27      | 532 43 12-19        | Bearing, Shaft, Ground Drive, L.H.                               |
| 29      | 532 10 21-34        | Chain #35-50 Pitch                                               |
| 30      | 532 15 07-37        | Ground Shaft Assembly                                            |
| 31      | 532 14 30-08        | Bearing, Shaft, Ground Drive, R.H.                               |
| 32      | 532 10 63-88        | Spacer 0.70 x 1.00 x 1.150                                       |

| KEY NO. | PART NO.            | DESCRIPTION                                                      |
|---------|---------------------|------------------------------------------------------------------|
| 33      | 532 10 21-21        | Sprocket and Gear Assembly                                       |
| 34      | 532 10 21-12        | Shaft, Reduction (2nd)                                           |
| 35      | 532 10 21-01        | Screw, Whizlock, 5/16-18 x 3-1/2                                 |
| 36      | 532 16 15-24        | Sprocket Assembly, w/Bearing<br>(Includes Key Numbers 37 and 38) |
| 37      | 532 10 04-13        | Bearing, Needle                                                  |
| 38      | 532 16 15-25        | Sprocket, Tine                                                   |
| 39      | 532 16 15-26        | Gear, Cluster, Red, 1st & 2nd                                    |
| 40      | 532 10 53-46        | Gear, Reverse                                                    |
| 41      | 532 16 15-23        | Shaft, Reduction (1st)                                           |
| 42      | 532 00 42-20        | Washer, Thrust                                                   |
| 43      | 532 10 61-46        | Spacer, 1.01 x 1.75 x 0.760                                      |
| 44      | 532 15 52-36        | Seal Assembly, Oil                                               |
| 48      | 532 18 82-35        | Gearcase, R.H., w/Bearing<br>(Includes Key Number 8)             |
| 49      | 532 43 14-85        | Shaft, Tine                                                      |
| 50      | 532 10 61-47        | Chain, Roller, #50-50 Pitch                                      |
| 51      | <b>817 06 04-08</b> | Screw, 1/4-20 x 1/2                                              |
| 52      | 873 22 05-00        | Nut, Hex, 5/16-18                                                |
| 53      | 532 16 51-40        | Bearing Kit, Tine Shaft                                          |
| 54      | 532 16 15-28        | Gear, DRT, Idler, w/Bearing<br>(Includes Key Number 55)          |
| 55      | 532 00 34-00        | Bearing, Needle                                                  |
| 56      | 532 16 15-29        | Gear, DRT, Idler                                                 |
| 57      | 532 16 58-89        | Spacer, Split, .52 x .64 x 1.04                                  |
| 58      | 532 17 95-20        | Screw, 1/4-20 x .875                                             |
| 60      | 532 18 32-26        | Fitting, Grease                                                  |
| 61      | 532 43 10-15        | Spacer, 1.015 x 1.50 x .656                                      |
| --      | 532 00 60-66        | Grease, Plastilube #1                                            |

**NOTE:** All component dimensions given in U.S. inches  
1 inch = 25.4 mm

# HUSQVARNA TILLER - MODEL NUMBER DRT900H (MFG. ID. NO. 96093001206)

## TINE SHIELD




| KEY NO. | PART NO.            | DESCRIPTION                            | KEY NO. | PART NO.     | DESCRIPTION                      |
|---------|---------------------|----------------------------------------|---------|--------------|----------------------------------|
| 1       | 532 15 53-77        | Locknut, Hex, Flanged, 5/16-18 UNC     | 22      | 874 93 06-32 | Bolt, Hex Head, 3/8-16 x 2       |
| 2       | <b>532 44 04-53</b> | Shield, Side, Outer, L.H.              | 23      | 532 00 44-40 | Hinge                            |
| 3       | 532 00 83-93        | Pin, Depth Stake                       | 24      | 872 14 04-04 | Bolt, Carriage, 1/4-20 x 1/2     |
| 4       | 812 00 00-35        | Ring, Klip                             | 25      | 532 12 47-17 | Cap, Vinyl                       |
| 5       | 532 18 08-47        | Bolt, Carriage, 5/16-18 x 3/4          | 26      | 532 10 92-27 | Pad, Idler                       |
| 6       | 532 00 83-94        | Spring                                 | 27      | 532 44 04-48 | Shield, Leveling                 |
| 7       | 581 85 08-01        | Bracket, Latch                         | 28      | 532 12 05-88 | Pin, Hinge                       |
| 8       | 532 10 92-30        | Spring, Depth Stake                    | 29      | 581 81 27-06 | Shield, Side                     |
| 9       | 532 44 04-44        | Shield, Tine                           | 30      | 873 97 05-00 | Locknut, Hex, Flanged            |
| 13      | 872 11 05-10        | Bolt, Carriage, 5/16-18 x 1-1/4        | 31      | 581 82 62-01 | Stake, Drag                      |
| 14      | 581 84 88-01        | Bracket, Shield, Tine                  | 32      | 873 22 04-00 | Nut, Hex, 1/4-20 UNC             |
| 15      | 532 44 04-50        | Shield, Side, Outer, R.H.              | 33      | 810 04 04-00 | Washer, Lock, Heavy Helical, 1/4 |
| 16      | 873 90 04-00        | Nut, Hex, Flanged, 1/4-20              | 35      | 872 11 05-05 | Bolt, Carriage                   |
| 18      | 872 04 04-10        | Bolt, Carriage, Grade 5 1/4-20 x 1-1/4 | 38      | 873 51 05-00 | Nut, Hex, Keps, 5/16-18 UNC      |
| 19      | 532 10 27-01        | Grip                                   | 39      | 532 42 88-67 | Bolt, Hex Head                   |
| 20      | 873 22 06-00        | Nut, Hex, 3/8-16                       | 40      | 532 18 11-56 | Nut, Speed                       |
| 21      | 532 12 50-00        | Stake, Depth                           |         |              |                                  |

**NOTE:** All component dimensions given in U.S. inches.  
1 inch = 25.4 mm



**HUSQVARNA TILLER - MODEL NUMBER DRT900H (MFG. ID. NO. 96093001206)**  
**TINE ASSEMBLY**





| KEY NO. | PART NO.     | DESCRIPTION                |
|---------|--------------|----------------------------|
| 2       | 532 13 26-73 | Pin, Shear                 |
| 4       | 532 12 46-60 | Clip, Hairpin              |
| 6       | 873 61 06-00 | Nut, Hex, 3/8-24           |
| 7       | 810 04 06-00 | Washer, Lock, 3/8          |
| 8       | 874 61 06-16 | Bolt, Hex Head, 3/8-24 x 1 |
| 16      | 532 16 34-99 | Tine, Spade                |
| 17      | 532 16 35-00 | Tine, Cleaning             |

**NOTE:** All component dimensions given in U.S. inches.  
 1 inch = 25.4 mm

# HUSQVARNA TILLER - MODEL NUMBER DRT900H (MFG. ID. NO. 96093001205)

## DECALS



| KEY NO. | PART NO.     | DESCRIPTION                         |
|---------|--------------|-------------------------------------|
| 5       | 532 11 06-14 | Decal, Hand Placement               |
| 6       | 532 16 62-02 | Decal, Shift Indicator              |
| 7       | 532 43 95-38 | Decal, Reverse                      |
| 9       | 532 17 67-82 | Decal, Warning, Rotating Tines      |
| 12      | 532 43 95-37 | Decal, Forward                      |
| --      | 532 44 59-37 | Manual, Operator's (English/French) |