











Rep N°	Ref.	Description	Désignation	Qté
1	577 51 62-01	FRAME OF FTS BLACK RAL9005	CHASSIS FTS NOIR RAL9005	1
2	577 51 65-01	FTS TRANSMISSION BLACK RAL9005	CART 1/4,6 JONC x FTS NOIR RAL9005	1
3	577 48 75-01	HANDLEBAR BRACKET 40x6 BLACK RAL9005	PLAT POTENCE GUID 40x6 NOIR RAL9005	2
4	577 51 73-01	RIGHT HANDLEBAR FTS BLACK RAL9005	GUIDON GAUCHE FTS NOIR RAL9005	1
5	577 51 72-01	RIGHT HANDLEBAR FTS BLACK RAL9005	GUIDON DROIT FTS NOIR RAL9005	1
6	577 51 79-01	PLATE FOR CLUTCH LEVER FTS	PLATINE LEVIER EMBR FTS	1
7	577 51 87-01	SPUR FTS ZINC PLATED	EPERON FTS xZN	1
8	577 51 68-01	DOUBLE WHEEL SUPPORT MECAB BLACK RAL9005	SUPP ROUE DOUBL MECABECH NOIR RAL9005	1
9	577 51 75-01	TINE GUARD FTS BLACK RAL9005	TOLE DE PROTECTION FTS NOIR RAL9005	2
10	577 52 10-01	STICKER MC CULLOG 44-154 85 x 100 mm	ETIQ McCULLOCH 44-154 85 x 100 mm	1
11	577 52 09-01	STICKER LOGO MC CULLOCH 345 x 130 mm	ETIQ CONTOUR CAPOT McCULLOCH 345 x 130 mm	1
12	577 52 08-01	STICKER MC CULLOCH 175 x 95 mm	ETIQ LOGO McCULLOCH 175 x 95 mm	1
13	577 46 33-01	SAFTY STICKER EARS PROTECTION	ETIQ. "SECURITE" 31x31 MM PROTECTION AUDITIVE	1
14	501 96 25-01	STICKER NOISE LEVEL '93Db'	"ETIQ. "NIVEAU DE BRUIT"" 93	1
15	531 00 85-40	STICKER SECURITY	"ETIQ. "SECURITE 5 LOGOS""Xce	1
16	531 00 84-54	HAND SIDE GRIP Ø22	POIGNEE PVC SOUPLE D22	2
17	519 65 30-60	TRANSMISSION PULLEY	POULIE POLYA. xINV MECAX	1
18	519 65 34-57	CLUTCH RUNNER ROUL 6200 ZZ	GALET 2 EPAULEMENTS ROUL 6200 ZZ	1
19	577 51 85-01	PLASTIC COVER PLATE FTS BLACK RAL9005	CACHE INT CAPOT FTS NOIR RAL9005	1
20	577 51 86-01	BELT COVER FTS BLACK RAL9005	CAPOT COURROIE FTS NOIR RAL9005	1
21	577 48 90-01	BRACKET COVER COMPACT EVO BLACK RAL9005	CAPOT POTENCE NOIR RAL9005	1
22	577 51 95-01	EXHAUST GRILL LONCIN 87cc	GRILLE ECHAPP LONCIN 87cc	1
23	577 51 77-01	SWITCH ON/OFF LONCIN	SWITCH ON/OFF LONCIN	1
24	531 00 84-60	DISK TINE D240 STRAIGHT BLADE (30X3)	FRAISE DISQUE 30X3 D240 NOIR MECABECHE	2
25	531 00 84-58	TINE REMOVABLE Ø240 STRAIGHT BLADE (30X3)	FRAISE DEPART 30X3 D240 NOIR / MECABECHE	4
26	577 51 67-01	BLACK WHEEL D150 BORE 12 L37.7	ROUE D150 MOYEU ALES 12,7 LG37.7	2
27	577 51 78-01	CLUTCH CABLE LG900 CF130 LAKS LEVER x CLIP TIP	CABLE EMB Lg 900 CF130 LAKS EMB CLIP	1
28	577 46 36-01	HANDLEVER LAKS C27 NUT M6 CLUTCHING SYMBOL	LEVIER EMB LAKS C27 ECROU M6 TEMPO EMBRAYAGE	1
29	531 00 84-56	ENGINE PULLEY D50 BORE Ø15 GXH50 SPB/ACTIVE 52	POULIE MOT D50 ALES 15 MOT GXH50 SPB/ACTIVE 52	1
30	522 53 04-01	BELT MITSUBOSHI LA36 Orange label	COURROIE MITSUBOSHI xLA36x Label Orange	1
31	575 36 01-01	SUPPORT FOR CLUTCH LEVER FTS	EQUERRE SUPPORT LEVIER EMBR FTS	1
32	577 51 80-01	DRIVE BELT ENGINE PULLEY D50	GUIDE COURROIE POULIE D50	1
33	577 52 23-01	SPACER FOR CLUTCH LEVER FTS	ENTR. LEVIER EMBR FTS	1
34	577 52 04-01	SPACER 14x8x3 Z	ENTR. 14x8x3 Z	2
35	577 52 03-01	SPACER 12x8x26 Z	ENTR. 12x8x26 Z	1
36	577 52 00-01	SPACER 12x6x27 Z	ENTR. 12x6x27 Z	1
37	575 35 94-01	HANDELBAR TIE GAP 400MM	BARRE GUIDON FILETEE ENTRAXE 400MM	1
38	519 65 30-67	PULLEY PIN SHAFT MECANIQUE	AXE FIXATION POULIE INVERSEUR MECANIQUE	1
39	544 31 11-01	COLLAR	COLLIER POLYAM.3.6 X 140 NOIR	4
40	505 54 37-01	KEY 5 X 5 X 25 DROITS TOL h 9 - XC 48	CLAVETTE 5 X 5 X 25 BTS DROITS TOL h 9 - XC 48	1
41	519 65 33-60	CLIP PIN Ø8x32	GOUPILLE CLIPS 32 X 8	7
42	519 65 33-60	CLIP PIN Ø8x32	GOUPILLE CLIPS 32 X 8	1
43	531 00 84-62	Black handlebar tightening lever	POIGNEE SERR HELICO 68M8F10 NOIR M8 PA6.6	2
44	501 99 25-01	STARLOCK WASHER DIA 12	RONDELLE STARLOCK DIA 12	2
45	544 31 49-01	CONTACT WASHER 8	RONDELLE CONTACT M8 NF E 25511	4
46	531 00 94-03	CONTACT WASHER 6	RONDELLE CONTACT 6 BIC NFE 25-511	1
47	531 00 83-90	SPECIAL WASHER 6,3 x 19 x 2,5Z	RONDELLE SPECIALE 6,3x19 X2,5Z	3
48	519 65 34-53	PLATE WASHER M 12X27X2.5 Z NFE 25513	RONDELLE PLATE M 12X27X2.5 Z NFE 25513	2
49	531 00 84-66	PLATE WASHER M 10X27X2 Z NFE 27611	RONDELLE PLATE M 10X27X2 Z NFE 27611	1
50	544 20 81-01	PLATE WASHER M 8X18X1.5 Z NFE 25513	RONDELLE PLATE M 8X18X1.5 Z NFE 25513	4
51	519 65 34-49	PLATE WASHER M 6X14X1.2 Z NFEN 25513	RONDELLE PLATE M 6X14X1.2 Z	1
52	519 65 34-32	NUT H M6 Z NOTCHED SHOULDER	ECROU HM 6 ZEMB CR DIN 6923	2
53	519 65 34-58	BLOCKING NUT M 10 Z	ECROU FREIN M 10 Z DIN 985/8	2
54	577 48 91-01	Cap blocking nut M8z	ECROU FREIN BORGNE M 8 Z DIN 986	2
55	544 20 79-01	BLOCKING NUT HM 8 Z DIN 985/8	ECROU FREIN M 8 Z DIN 985-8	2
56	732 26 16-01	BLOCKING NUT M 6 Z	ECROU FREIN M 6 Z DIN 985-8	4
57	544 20 79-01	BLOCKING NUT M 4 Z DIN 985/8	ECROU FREIN M 4 Z DIN 985/8	3
58	519 65 34-56	NUT HM 10Z	ECROU H.U. M 10 Z	1
59	575 36 13-01	Screw TRCC M8x80 z DIN 603 cl 4.6	VIS TRCC 8 X 80/20 Z DIN603	2
60	728 69 23-00	SCREW ST HC M8X16 DIN 914 45H	VIS STHC 8 X 16 N BT POINTU DIN 914 45H	1
61	577 52 07-01	SCREW CHC 4X10 Z DIN 912 Cl 8.8	VIS CHC M4x10 Z DIN 912 Cl 8.8	3
62	519 65 31-26	SCREW HM 10X40Z NFEN 24017	VIS H 10 X 40 Z NFEN 24017	1
63	519 65 34-55	SCREW HM 10X35Z FST	VIS H 10 X 35 FST Z NFEN 24017	1
64	519 65 34-33	SCREW H M8X20 Z NOTCHED SHOULDER CL 8.8	VIS H 8x20 Z EMB CR	2
65	531 00 82-02	SCREW H M8X16 Z NOTCHED SHOULDER CL 6.8	VIS H 8x16 Z EMB CR DIN 6921 CL 6.8	4
66	531 00 85-09	SCREW HM8 x 60/22 Z CL8.8 DIN931	VIS H 8 X 60/22 Z CL8.8 DIN931	2
67	577 51 90-01	SCREW H 6x45 Z DIN 6921 NOTCHED SHOULDER CL 6.8	VIS H 6x45 Z EMB CR DIN 6921	4

Rep N°	Ref.	Description	Désignation	Qté
68	519 65 34-35	SCREW HM 6X16 Z NOTCHED SHOULD	VIS H 6x16 Z EMB CR DIN 6921	2
69	519 65 31-13	SCREW H 6 X 60 Z CL 6.8 NFEN 24017	VIS H 6X60 Z CL 6.8 NFEN 24017	1
70	577 52 16-01	BAG OF SCREW FOR FTS	POCH. VISS xFTS	1
71	531 00 85-63	Outside blade 30x3 D240	COUTEAU 30X3 D240 BIS EXT PLI 2 BISEAUX SUR EXT PLI	1
72	531 00 84-59	Inside blade 30x3 D240	COUTEAU 30X3 D240 BIS INT PLI 2 BISEAUX SUR INT PLI	1
200	531 00 84-36	JOUE CARTER 1/4,6 xNOIRx	BLACK TRANSMISSION HOUSINGx1/4 MECABECHE	2
201	577 52 21-01	JONC- CARTER 1/4,6 GRIS RAL7000	FLANGE 1/4,6 x MECABECHE/FTS GREY RAL7000	1
202	531 00 84-48	ARBRE TRAVAIL xMECABECHEx 42 DTS 9,525	BLADE SHAFT xMECABECHEx 42 PITCH 9,525	1
203	577 52 22-01	ARBRE PRIMAIRE 9 DTS 9.525 LG. 160.65mm	PRIMARY SHAFT x FTS 9 PITCH 9,525 LG. 160.65mm	1
204	531 00 84-51	CHAINE ISO 06B-1 pas 9.525mm 84 maillons RSF	CHAIN 9.52 (84 LINKS RSF)	1
205	531 00 84-47	ROULEMENT 6003 2RS	BALL BEARING 6003 2RS	2
206	519 65 31-90	ROULEMENT 6004 2RS	BALL BEARING 6004 2 RS	2
207	531 00 84-49	JOINT FEUTRE 20X30X4	RING 20X30X4	2
208	531 00 84-50	ENTRETOISE CARTER xMECABECHEx	PLASTIC SPACER FOR TRANSMISSIO MECABECHE	1
209	501 96 38-01	VIS CHC 6 X 55 Z	SCREW CHC 6 X 55 Z	1
210	732 26 16-01	ECROU FREIN M 6 Z DIN 985-8	BLOCKING NUT M 6 Z	1

GPL®

A1 LONCIN LC 154 F ENGINE




Position	Article	Quantity	Notes	Kit
1	577 47 42-01	1		
2	577 46 87-01	1		1
3	577 47 24-01	1		1
4	577 47 25-01	1		1
5	577 47 26-01	1		1
6	577 47 27-01	1		1
7	577 47 28-01	1		1
8	577 46 92-01	4		1
9	577 47 29-01	1		1
10	577 47 30-01	1		1
11	577 47 38-01	1		1
12	577 47 39-01	1		1
13	577 47 40-01	1		1
14	577 47 18-01	1		1
15	577 47 41-01	1		1

The logo for GPL (Gesellschaft für Produktentwicklung) is displayed in a large, light gray, sans-serif font. The letters 'G', 'P', and 'L' are stylized and connected. A small registered trademark symbol (®) is located to the upper right of the 'L'.


A2 LONCIN LC 154 F ENGINE

1


18




18




17



16



19






21

21

21

20

23



22



Position	Article	Quantity	Notes	Kit
1	577 47 42-01	1		
16	577 47 31-01	1		1
17	577 47 32-01	1		1
18	577 47 33-01	2		1
19	577 47 34-01	1		1
20	577 47 35-01	1		1
21	577 47 23-01	3		1, 20
22	577 47 36-01	1		1
23	577 47 37-01	1		1

